


FOC-SS - FIBER OPTIC CLEAVER

- > Designed for fiber cleaving applications that include field termination of fiber connectors and mechanical splices as well as laboratory applications
 - > Small, lightweight and easy to use
 - > Features a graduated leaf spring scale, which allows cleave lengths of 2.0 mm to 20.0 mm
 - > The "Score and Snap" leaf spring function is easy, fast and is the preferred method by many fiber installers
 - > Produces a precise cleave endface angle of less than 2 degrees
 - > Supplied with a standard carbide cleaving blade capable of over 6,000 consistent cleaves
 - > Cleaving tool is designed for single mode and multimode fiber with cladding O.D. diameter of 125 micron with no operator tool adjustments
 - > Made in the U.S.A.
 - > Cleaver Dimension: 4.88 x 0.79 x 1.57 in. (124 x 20 x 40 mm)
 - > Weight: 2.12 oz (60g)
 - > Fiber Optic Cleaver: FOC-SS Part #: 46490
 - > Leaf Spring Replacement: FOC-LS Part #: 46492
 - > Carbide Blade Replacement: FOC-CBL, Bladelife scores - 6,000* Part #: 46491
 - > Diamond Blade Replacement: FOC-DBL, Bladelife scores - 10,000* Part #: 46493
- *Based on no damage or chipping to blade



FO-125 - PRECISION CLEAVER

- > Small and lightweight design that is easily used in the lab or in the field
- > Provides ultimate reliability, repeatability and efficiency along with ease of use
- > Designed for single and multimode fiber with cladding diameter of 125 micron
- > Fiber coating diameters of 250 micron and 900 micron
- > Cleave length- 6-20mm (250 micron) and 10-20mm (900 micron)
- > Provides 48,000 cleaves blade life (1,000 fibers x 3 heights x 16 positions) before blade replacement
- > Cleave angle capability provides a precise cleave end face angle of < 0.5 degrees
- > Cleaver supplied with Side Cover installed only (no Scrap Collection System - Scrap Box)
- > Convenient protective soft shell suede carrying case, and 1.5mm Hex Wrench provided
- > Made in China
- > Dimensions: 2.7 x 3.2 x 1.6 in (69 mm x 82 mm x 41mm)
- > Weight: 6.4 oz. (181 g)
- > Part#: 81010

